



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

tho' at the same time the stone itself will be somewhat hurt or corroded by the air.

I have the honour to be,

Reverend Sir,

Your very obliged and humble Servant,

Bearbinder-lane,  
7th February 1759.

Emanuel Mendez da Costa.

VI. *Observations upon the Sea Scolopendre, or Sea Millepes. By John Andrew Peyfsonel, M. D. F. R. S. Translated from the French.*

Read Feb. 15, 1759. **T**HIS creature, in its figure, is like the Land Scolopendre, or, as Pliny says, to the hairy caterpillar, commonly called the Milleped animal. It is of the same colour, has the same arrangement of circular rings: but whereas the Land Scolopendre is flat, this is square. I counted eighty rings, which form the body and head, when it was brought to me. This sea insect was very small, and almost imperceptible. I was surprised, after having kept him some time, to see a round body, of a blackish green colour, like the *glans virilis*, pass out of him, which had a considerable opening, like the canal of the urethra. This gland was surrounded by two bodies or bowels, which appeared in form of a prepuce turned back; the one was yellowish, and the other whitish; each but a

line thick, stronger and larger above, and terminating below like a ligature, filled with a matter like that contained in the intestines of fishes and insects. This may be what gave occasion to Pliny, and other naturalists, to think, that these insects, finding themselves taken, throw out their bowels in order to lessen their bulk.

It is very likely, that this gland, which it pushes out, and these kinds of bowels full of the same matter, which fills them within, which in the natural state of the insect do not at all appear, but are in the inside of the animal, without any signs of their existence, being pushed outwards, increase the size of its head to ten times its common bulk; and are the intestines, which he throws out at times. Is not the gland his stomach, and these prepuces his guts, which he protrudes and retracts at pleasure? To what purpose this play or action of these parts? I profess I do not know. It cannot be to disengage himself from the machine; and this must be very small, in order to be enabled to catch these insects. If it was of glass, and of a bell-form, the protrusion of the stomach might be seen, in order to eject that matter, whatsoever it be, in this play or action; which may perhaps be hereafter discovered.

The body of the animal is square; and the four sides are armed with such prickles, as I never saw before. Also every ring has four bundles of prickles. The following is the manner of their being disposed: At the end of each ring, above the square, on each side, we see a gland, near which a bundle of prickles arises towards the squares below. This bundle seems to fill the whole ring, and to part as it were from the  
center.

center of the under side ; where is a hollow or separation, which passes in a right line from the head to the tail. The bundles of prickles appear round at first, and terminate in points ; but afterwards they are seen to spread out like a fan ; so that their extremities are more than four times the bigness of their bases.. They contain an infinite number of prickles, which are extremely fine, loose, and brilliant, like an aigrette of glass, but more free and loose. The range of prickles underneath spreads also like fans, serving the insect as feet ; for it is upon these he stands, and moves upon them as the Scolopendre does on his feet.

Having put these Sea Scolopendres upon my fingers, they thrust a great number of their prickles into the skin, and caused a sharp pain for some hours : it was like fire upon the part. It was in vain that I rubbed and washed the part ; and tho' the prickles were broken, yet the parts, that stuck in the flesh, produced their effect, and caused the pain I felt for some hours. Afterwards it all went off without any further ill consequence.